



December 31, 2018

SnapNrack  
775 Fiero Lane, Ste. 200  
San Luis Obispo, CA 93401  
TEL: (877) 732-2860

Attn.: SnapNrack - Engineering Department

Re: Report # 2017-00240-A.06 – SnapNrack Series 100 Solar Photovoltaic Racking System with 6063-T6 Rail  
Subject: Engineering Certification for the State of Mississippi

PZSE, Inc. – Structural Engineers has provided engineering and span tables for the SnapNrack Series 100 Racking System w/ 6063-T6 Rail, as presented in PZSE Report # 2017-00240-A.06, "Engineering Certification and Span Tables for the SnapNrack Series 100 Solar Photovoltaic Racking System with 6063-T6 Rail". All information, data, and analysis therein are based on, and comply with, the following building codes and typical specifications:

- Building Codes:
1. ASCE/SEI 7-05 & 7-10, Minimum Design Loads for Buildings and other Structures, by American Society of Civil Engineers
  2. 2009, 2012, & 2015 International Building Code, by International Code Council, Inc.
  3. 2009, 2012, & 2015 International Residential Code, by International Code Council, Inc.
  4. AC428, Acceptance Criteria for Modular Framing Systems Used to Support Photovoltaic (PV) Panels, November 1, 2012 by ICC-ES
  5. Aluminum Design Manual 2005, 2010 & 2015, by The Aluminum Association, Inc
  6. ANSI/AWC NDS-2012 & NDS-2015, National Design Specification for Wood Construction, by the American Wood Council

Design Criteria:

Risk Category II  
Seismic Design Category = A - E  
Basic Wind Speed (ultimate) per ASCE 7-10 = 110 mph to 190 mph  
Basic Wind Speed (ultimate) per ASCE 7-05 = 85 mph to 147 mph  
Ground Snow Load = 0 to 120 (psf)

This letter certifies that the loading criteria and design basis for the SnapNrack Series 100 Racking System w/ 6063-T6 Rail Span Tables are in compliance with the above codes.

If you have any questions on the above, do not hesitate to call.

Prepared by:  
PZSE, Inc. – Structural Engineers  
Roseville, CA

