


**NOTE:**

1. ADJUSTABLE END CLAMPS USE SAME BONDING PIN DESIGN TO BOND MODULES TO RAIL



**NOTE:**

1. ALL HARDWARE IS INCLUDED FROM MANUFACTURER
2. A MINIMUM OF ONE GROUND LUG IS TO BE INSTALLED ON EVERY CONTINUOUS ROW OF MODULES
3. GROUND LUG MAY BE INSTALLED IN EITHER RAIL CHANNEL
4. GROUND LUG MAY BE INSTALLED SO GROUND WIRE IS PARALLEL OR PERPENDICULAR TO RAIL
5. ENSURE SPLIT LOCK WASHER IS INSTALLED ON TOP OF COPPER WIRE

ASSEMBLER:
INSPECTOR:

DESCRIPTION:	DRAWN BY: <u>MIKE WATKINS</u>
<b>SNAPNRACK MOUNTING SYSTEM GROUNDING DETAILS</b>	APPROVED BY: <u>CODY NORMAN</u>
	REVISION: <u>G 1/11/2016 NEW ITEM</u>
PART NUMBER:	SCALE: <u>DNS</u>


**SnapRack™**  
**Solar Mounting Solutions**

**Sunrun South LLC**  
595 MARKET STREET, 29TH FLOOR • SAN FRANCISCO, CA 94105 USA  
PHONE (415) 580-6900 • FAX (415) 580-6902

THE INFORMATION IN THIS DRAWING IS CONFIDENTIAL AND PROPRIETARY. ANY REPRODUCTION, DISCLOSURE, OR USE THEREOF IS PROHIBITED WITHOUT THE WRITTEN CONSENT OF SUNRUN SOUTH LLC.